### TrafFix Devices Inc.



# **ENVIRO-CONE**®

### **Engineered Products for Safer Highways**



Made in the USA means a reliable, consistent and sustainable source of supply for distributors and users throughout North America.

#### Recyclable

BULLETIN

PRODUCI

 The Enviro-Cone® is 80% recycled by weight and can be recycled again. No more land fills loaded with toxic PVC cones. Enviro-Cone also qualifies for Green Points due to its high recycled content.

 If ever a stem gets destroyed, simply reorder the stem and reuse the base. No need to buy the entire cone.

#### **Cold & Hot Weather Performance**

 Manufactured from low density polyethylene, the Enviro-Cone provides superior cold weather performance.
No cracking or breaking down to -40°F.

 No more soft and droopy cones in hot weather. The Enviro-Cone stands tall and vertical in road temperatures exceeding 180°F.

Stock # 16028-HIWB-7 28" Tall, 7 lb. with (6"& 4") reflective collars. MUTCD Compliant

#### **Gription**

 The Easy Grip Groove provides excellent "gription" for quick deployment and retrieval. Also makes tying off caution tape to cone quick and easy.

#### **Visibility**

 Quality 3M reflective collars assure superior performance in low light and nighttime conditions.

#### **Durability**

 Enviro-Cone provides long term durability. Color retention is excellent through the use of ultraviolet stabilizers and low density polyethylene (LDPE) increases the life of the product.

#### Stability

 With nearly 80% of the weight in the base, the Enviro-Cone is more stable than traditional 7 or 10 lb. PVC cones.

#### **Complete Enviro-Cone Family**

Available in 18, 28 and 36 inches. Cone weights of 3, 7, 10 or 12 lbs. All sizes available in lime and white.



## **ENVIRO-CONE**®





simply reshape




Drop base over stem and reuse

Tire impact

#### **Enviro-Cone®** Specification

Orange traffic cone shall be 28" in height and have a total weight of 7 lbs. +/- .25 lbs. Stem of the cone shall be molded from LDPE to provide superior cold/hot weather performance, excellent 100% UV resistance/color retention, and superior impact performance. Base of the cone shall be molded from recycled rubber and make up approximately 80% of the total weight. Dimensions of the base are to be 15 3/4"x15 3/4". Cone base shall be removable so that the stem can be replaced. Base will lock onto the stem with molded-in locking lugs on the stem. The stem of the cone shall have recesses for reflective collars and a groove near the top of the cone for easy gription. Tipping angle of the cone shall be no less than 76° from vertical. The stem and base of the traffic cone shall be made in the USA.





Email: sales@absorbentsonline.com

Toll Free: (800) 869-9633